

## ConcenTrace Analysis Summary

(Label Claim, Average, Ranges)

Mineral	Unit	Average	Actual Ranges	
			Low	High
Barium	ppm	0.077	0.0081	0.12
Germanium	ppm	0.073	0.0010	0.32
Vanadium	ppm	0.071	0.061	0.081
Cerium	ppm	0.063	0.0041	0.16
Yttrium	ppm	0.060	0.0041	0.11
Cesium	ppm	0.052	0.012	0.12
Bismuth	ppm	0.052	0.024	0.080
Mercury	ppm	<0.05	<0.00081	<0.05
Tin	ppm	0.033	0.0081	0.057
Gallium	ppm	0.030	0.0041	0.11
Uranium	ppm	0.028	0.0081	0.049
Gold	ppm	0.018	0.012	0.020
Thallium	ppm	0.016~		
Thorium	ppm	0.016	0.0081	0.024
Beryllium	ppm	0.012	0.0080	0.02
Samarium	ppm	0.012	0.0041	0.020
Hafnium	ppm	0.012~		
Palladium	ppm	<0.012~		
Indium	ppm	<0.012~		
Silver	ppm	0.011	0.0041	0.020
Zirconium	ppm	0.010	0.0041	0.020
Dysprosium	ppm	0.0081	0.0041	0.012
Rhenium	ppm	0.0068	0.0041	0.012
Thulium	ppm	0.0061	0.0041	0.0081
Terbium	ppm	0.0061	0.0041	0.0081
Neodymium	ppm	0.0061	0.0041	0.0081
Lutetium	ppm	0.0061	0.0041	0.0081
Holmium	ppm	0.0061	0.0041	0.0081
Gadolinium	ppm	0.0061	0.0041	0.0093
Europium	ppm	0.0061	0.0041	0.0093
Erbium	ppm	0.0054	0.0041	0.0081
Praseodymium	ppm	0.0047	0.0020	0.0081
Ytterbium	ppm	0.0041~		
Niobium	ppm	0.0041~		
Platinum	ppm	0.0041		
Tantalum	ppm	0.001~		

\* The High and Low numbers listed are based on statistical analysis. Some actual test results have been higher or lower than these numbers. However, statistical analysis of all test results reveals that there is a 90% likelihood that the actual values for a given batch will fall between the stated high and low values listed.

< Indicates the element was detected, but likely below the quantifiable limit.

~ Test results for this element from one lab only